

TECHO — BLOC

Inspiring Artscapes





Table of Contents

Bricks and Stone Collections

06

- 08 Brandon
- 12 Iconic



Stones

16

- 18 Alür
- 20 Madison Grande
- 22 Madison Various



Bricks

24

- 26 Griffintown



Architectural Series

28

- 30 Architectural Block
- 34 LaRoche Stone



Accessories

38

- 40 LaRoche Sill
- 40 LaRoche Keystone



Technical Specifications

42

- 42 Compatibility Chart
- 43 Technical Specifications
- 51 Warranty

For an authentic look, each color option is composed of a variety of darker & lighter tones. Natural ingredients are present within the recipe to allow for a range in tones, veining and textures from one stone to another. Color samples for reference only. Actual product colors may vary.





The Art of Living Outdoors

Design begins long before the first stone is laid. It starts with a spark, a vision of what life could feel like. It begins with you: with the desire to slow down, to gather, to reconnect, and to shape a space that reflects the way you want to live.

At Techo-Bloc, every surface tells a story. Our textures invite touch. Our colors shift with the light. Our forms frame connection. Every slab, paver, and wall becomes a building block for experience, for barefoot mornings, for dinners that stretch into the night, and for small moments that turn into lasting memories. Great design is not about perfection; it is about emotion, balance, and the quiet beauty that changes how you feel at home.

For thirty-seven years, we have carried forward the belief that outdoor design is not just construction; it is creation. We have pushed design norms not by following trends but by shaping them, guided by intention and inspired by the space where architecture blurs into art. We design for the dreamers and the creators, those who see their backyard not as an afterthought but as the heart of their home.

This is more than hardscape. It is the art of living outside, designed from the ground up.

Brick and Stone Collection

Once again, Techo-Bloc has broken the mold with our Brandon and Iconic collections. The array of color options paired with design combination possibilities, make these two collections nothing less than noteworthy. Customize your home according to your imagination and give free rein to your creativity!



Brandon



DRY CAST
COLLECTION



Calico¹

Shale Grey

Sienna Onyx Grey

Graphite Grey

Black Pearl

1. Available for brick only
Technical specifications on page 44

↑ Brandon Brick and Stone - Sienna Onyx Grey, Graphite Grey and Shale Grey, LaRoche lintel, candle, sill Elegant White grinded



↑ Brandon Brick and Stone - Sienna Onyx Grey, Graphite Grey and Shale Grey, LaRochelle lintel, candle, sill and Architectural 8 × 16 Elegant White grinded

Dimensions

Stones

Depth: 3 15/16 in 100 mm

9 1/16 × 9 1/16
230 × 230



9 1/16 × 13 3/4
230 × 250



Brick

Depth: 3 15/16 in 100 mm

4 5/16 × 4 5/16
110 × 110



4 5/16 × 6 11/16
110 × 170



4 5/16 × 9 1/16
110 × 230



4 5/16 × 11 7/16
110 × 290



4 5/16 × 13 3/4
110 × 350








Iconic



Tints of Vanilla



Silver Waves



Technical specifications on page 46

↑ Iconic Brick and Stone - Tints of Vanilla



↑ Iconic Brick - Tints of Vanilla

Dimensions

Stones

Depth: $3\frac{3}{16}$ in 90 mm

$6\frac{5}{8} \times 17\frac{5}{8}$
168 × 448

$6\frac{5}{8} \times 23\frac{5}{8}$
168 × 600

$6\frac{5}{8} \times 29\frac{5}{8}$
168 × 752



Bricks

Depth: $3\frac{3}{16}$ in 90 mm


$3\frac{1}{8} \times 23\frac{5}{8}$
79 × 600



Patterns


Combining the Iconic stone and brick creates a bold and distinguished effect. Its multiple layouts denote its versatility and it is compatible with all styles of architecture. Iconic's various arrangements will undoubtedly fit perfectly with your taste and become the emblem of your home.

Luxurious




60% Stones, 40% Bricks

Balanced




50% Stones, 50% Bricks

Timeless



40% Stones, 60% Bricks

Urban



30% Stones, 70% Bricks





Stones

Both elegant and classic, stone masonry is the perfect way to complement the unique character of your home. Its natural stone appeal will bring originality and boldness to the exterior of your residence. Let the combination of brawn and beauty add a look to your home that will transcend time.

- 18 Alür
- 20 Madison Grande
- 22 Madison Various



STONES

Alür




DRY CAST
COLLECTION



↓ Alür Stone - Graphite Grey





Calico



Sienna Onyx Grey



Graphite Grey



↑ Alür Stone - Graphite Grey

Dimensions

Stones

Depth: 3 15/16 in 100 mm

3 1/2 x 4 1/4
89 x 108



3 1/2 x 9
89 x 229



3 1/2 x 13 3/4
89 x 349



3 1/2 x 18 1/2
89 x 470



7 1/2 x 9
191 x 229



7 1/2 x 13 3/4
89 x 349



7 1/2 x 18 1/2
89 x 470



11 1/2 x 13 3/4
292 x 349



11 1/2 x 18 1/2
292 x 470



Technical specifications
on page 43

STONES

GRANDE

Madison



DRY CAST
COLLECTION

Dimensions

Grande

Depth: 3 3/16 in 90 mm

9 1/16 x 15 3/4
230 x 400

9 1/16 x 17 11/16
230 x 450

9 1/16 x 19 11/16
230 x 500

9 1/16 x 21 5/8
230 x 550

9 1/16 x 23 5/8
230 x 600

9 1/16 x 25 3/16
230 x 650



Smooth

Slate



Technical specifications on page 48

↑ Madison Grande & Various Stone Slate - Sienna Onyx Grey



STONES

VARIOUS

Madison



DRY CAST
COLLECTION



Smooth

Slate

	Smooth	Slate
Urban White		
Platinum Grey		
Sienna Onyx Grey		
Graphite Grey		

Technical specifications on page 49

↑ Madison Various & Grande Stone Slate - Graphite Grey



↑ Madison Various Stone Smooth - Sienna Onyx Grey

Dimensions

Various Sizes

Depth: 3 ³/₁₆ in 90 mm

3 ³/₁₆ × 15 ³/₄
90 × 400



3 ³/₁₆ × 17 ¹¹/₁₆
90 × 450



3 ³/₁₆ × 19 ¹¹/₁₆
90 × 500



3 ³/₁₆ × 21 ⁵/₈
90 × 550



3 ³/₁₆ × 23 ⁵/₈
90 × 600



3 ³/₁₆ × 25 ⁹/₁₆
90 × 650



5 ¹/₈ × 15 ³/₄
130 × 400



5 ¹/₈ × 17 ¹¹/₁₆
130 × 450



5 ¹/₈ × 19 ¹¹/₁₆
130 × 500



5 ¹/₈ × 21 ⁵/₈
130 × 550



5 ¹/₈ × 23 ⁵/₈
130 × 600



5 ¹/₈ × 25 ⁹/₁₆
130 × 650



Bricks

From modern to traditional, our collection of bricks has something for everyone. Choose from straight and clean lines or rough-hewn classics to customize your home to your unique style. They are guaranteed to complement the design and aesthetic of any home, making them the ideal masonry choice for your exterior project.





BRICK

Griffintown




DRY CAST
COLLECTION

Dimensions

Brick
Depth: 3 1/2 in 90 mm

3 1/8 x 10 1/8
79 x 257



1. On order only
Technical specifications on page 45

↑ Griffintown Brick - Graphite Grey



Architectural Series

These oversized and larger than life blocks are amongst our most diverse masonry offerings. Our Architectural Block and LaRochelle collection provide you with trendy colors and larger than life textures so you can let your creativity run wild. These out-of-the-box beauties will allow you to fully customize your curb appeal for a jaw-dropping home.



Architectural Block



Dimensions

Block 4 × 16
Depth: 3 3/16 in 90 mm

3 3/16 × 15 3/8
90 × 390



Block 8 × 16
Depth: 3 3/16 in 90 mm

7 1/2 × 15 3/8
190 × 390



	Smooth ¹	Polished ²	Granitex	Grinded	Split Face ¹
Light Amber Brown					
Elegant White					
Nickel					
Grey					
Carbon					
Pure White					
Onyx Black					

Standard Colors

Elite Colors (on order)

1. Available for 8 × 16 only
2. Polished finish will have the dimension reduced by 5 mm / 3/16 in

Technical specifications on page 43







LaRochelle Stone 12 x 24 - Grinded Grey



↑ LaRochelle Stone 12 × 24 - Grinded Elegant White

LaRochele Stone



DRY CAST
COLLECTION



Standard Colors

Elite Colors
(on order)

Dimensions

Brick

Depth: 3 3/16 in 90 mm

3 3/16 x 11 7/16
90 x 290



Corner Brick

Depth: 3 3/16 in 90 mm

3 3/16 x 11 7/16
90 x 290



Stone 4 x 24

Depth: 3 3/16 in 90 mm

3 3/16 x 23 1/4
90 x 590



Stone 6 x 24

Depth: 3 3/16 in 90 mm

5 1/2 x 23 1/4
140 x 590



Stone 8 x 24

Depth: 3 3/16 in 90 mm

7 1/2 x 23 1/4
190 x 590



Stone 12 x 24

Depth: 3 3/16 in 90 mm

11 3/8 x 23 1/4
390 x 590



Sill

Depth: 3 3/16 in 90 mm

5 11/16 x 23 1/4
145 x 590



Keystone

Depth: 3 3/16 in 90 mm

11 7/16 x 6 x 8
290 x 152 x 203



1. Available for 8 x 24 & 12 x 24 only
2. Polished finish will have the dimension reduced by 5 mm / 3/16 in
3. Available for Sill only

Technical specifications on page 47







Accessories

Your home transformation is almost complete. You've thought of everything, except masonry accessories. Don't worry, we've got you covered. We offer a window sill and keystone design that will help you bring your home project vision to life. Final touches are key to any successful project. Thankfully, we've thought of every last detail.



LaRochele Sill




↑ Architectural Block 8 × 16 - Smooth Elegant White - LaRochele Sill Split Face - Elegant White


The Techo-Bloc window sills come in 7 shades and 5 textures that pair beautifully with our LaRochele stones and architectural blocks, allowing you to bring your home project vision to life. Our sills will also add elegance and finesse to all our ranges of masonry products.

Dimensions


Texture without Chamfer



Split Face without Chamfer



Texture with Chamfer



Technical specifications on page 48

LaRochele Keystone




↑ Architectural Block - Nickel Grinded, LaRochele Candle/Lintel/Sill - Nickel Grinded


Our keystones are available in 7 shades and 3 textures. In addition, you can choose whether you want your Keystone with or without chamfer to match your design needs.

Dimensions

Texture without Chamfer



Texture with Chamfer¹



1. Only available in Granitex, Polished and Grinded.

Technical specifications on page 48



↑ LaRochelle Brick - Elegant White

Compatibility Chart










	Bricks			Stones									Blocks		Acc.	
	Brandon	Griffintown	Iconic	Alür	Brandon	Iconic	LaRochelle 4 × 24	LaRochelle 6 × 24	LaRochelle 8 × 24	LaRochelle 12 × 24	Madison Grande	Madison Various	Architectural Block 4 × 16	Architectural Block 8 × 16	LaRochelle Sill	LaRochelle Keystone
Bricks																
Brandon	x			x	x		x	x	x	x	x	x	x	x	x	x
Griffintown		x		x		x	x	x	x	x	x	x	x	x	x	x
Iconic			x			x	x	x	x				x	x	x	x
Stones																
Alür	x	x		x			x	x	x	x			x	x	x	x
Brandon	x				x		x	x	x	x			x	x	x	x
Iconic		x	x			x	x	x	x				x	x	x	x
LaRochelle 4 × 24	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
LaRochelle 6 × 24	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
LaRochelle 8 × 24	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
LaRochelle 12 × 24	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
Madison Grande	x	x					x	x	x	x		x	x	x	x	x
Madison Various	x	x					x	x	x	x	x		x	x	x	x
Blocks																
Architectural Block 4 × 16	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
Architectural Block 8 × 16	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
Accessories																
LaRochelle Sill	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
LaRochelle Keystone	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x


NOTE: The combinations shown in this chart are not complete. Other possible combinations exist.

Technical Specifications

Alür







Stones	Sold by full pallet
<p>CUBING 7,21 m² / 77,65 ft² per pallet 1,03 m² / 11,09 ft² per row 1 385 kg / 3 053 lbs 126 units 7 row of 18 units A-B-C-D = 19% / E-F-G = 56% / H-I = 25%</p>	<p>Depth × Height × Width</p> <div style="display: flex; justify-content: space-around;"> <div style="text-align: center;">  A - 2% (14 units / pallet) 100 × 89 × 108 mm 3 15/16 × 3 1/2 × 4 1/4 in </div> <div style="text-align: center;">  B - 9% (28 units / pallet) 100 × 89 × 229 mm 3 15/16 × 3 1/2 × 9 in </div> <div style="text-align: center;">  C - 3% (7 units / pallet) 100 × 89 × 349 mm 3 15/16 × 3 1/2 × 13 3/4 in </div> <div style="text-align: center;">  D - 5% (7 units / pallet) 100 × 89 × 470 mm 3 15/16 × 3 1/2 × 18 1/2 in </div> </div> <div style="display: flex; justify-content: space-around; margin-top: 20px;"> <div style="text-align: center;">  E - 9% (14 units / pallet) 100 × 191 × 229 mm 3 15/16 × 7 1/2 × 9 in </div> <div style="text-align: center;">  F - 28% (28 units / pallet) 100 × 191 × 349 mm 3 15/16 × 7 1/2 × 13 3/4 in </div> <div style="text-align: center;">  G - 19% (14 units / pallet) 100 × 191 × 470 mm 3 15/16 × 7 1/2 × 18 1/2 in </div> </div> <div style="display: flex; justify-content: space-around; margin-top: 20px;"> <div style="text-align: center;">  H - 11% (7 units / pallet) 100 × 292 × 349 mm 3 15/16 × 11 1/2 × 13 3/4 in </div> <div style="text-align: center;">  I - 14% (7 units / pallet) 100 × 292 × 470 mm 3 15/16 × 11 1/2 × 18 1/2 in </div> </div>



Architectural Block



Block 4 × 16	Sold by unit	Block 8 × 16	Sold by unit
<p>CUBING 8,41 m² / 90,42 ft² per pallet 24,96 units per m² / 2,32 units per ft² 1143 kg / 2520 lbs (Onyx Black 1493 kg / 3292 lbs) 210 units 7 row of 30 units</p>	<p>Depth × Height × Width</p> <div style="text-align: center;">  90 × 90 × 390 mm 3 5/16 × 3 5/16 × 15 3/8 in </div> <p>Textures (see page 34) Granitex Polished* Grinded</p>	<p>CUBING (Smooth) 5,76 m² / 62,0 ft² per pallet 12,50 units per m² / 1,16 units per ft² 920 kg / 2028 lbs (Onyx Black 1197 kg / 2640 lbs) 72 units / 3 row of 24 units</p>	<p>Depth × Height × Width</p> <div style="text-align: center;">  90 × 190 × 390 mm 3 5/16 × 7 1/2 × 15 3/8 in </div> <p>Textures (see page 34) Granitex Smooth Polished* Grinded</p>
		<p>CUBING (Granitex, Polished & Grinded) 8,40 m² / 90,42 ft² per pallet 12,50 units per m² / 1,16 units per ft² 1260 kg / 2778 lbs (Onyx Black 1524 kg / 3360 lbs) 105 units / 7 row of 15 units</p> 	<p>IMPORTANT NOTE: For the Architectural Smooth only, it needs to be installed on the NOT chamfered side.</p>

* Polished finish will have the dimension reduced by 5 mm / 3/16 in

Architectural Block



Block Split Face 8 × 16

Sold by full pallet

Sales conditions

CUBING

5,76 m² / 62,0 ft² per pallet
 12,50 units per m² / 1,16 units per ft²
 930 kg / 2050 lbs (Onyx Black 1197 kg / 2640 lbs)
 72 units (4 units of 1/2, 6 units of 1/3-2/3)
 3 row of 24 units


Depth × Height × Width



90 × 190 × 390 mm
 3 5/16 × 7 1/2 × 15 3/8 in

Textures (see page 34)
 Split Face

- A minimum order of 3,000 units is required for Elite colors.
- Check availability with our customer service or your representative.
- All orders must be picked up or delivered within 30 days of the confirmed delivery date.
- The order is considered final 24 hours after it is received at Techo-Bloc. No changes will be accepted after 24 hours.
- The order cannot be cancelled. The customer is responsible for the entire order.
- The bevel is 3/8" dimension.
- The bevel have a grinded finish.
- The split face texture is only available for the following format : 90 × 190 × 390 mm (3,54 × 7,48 × 15,35 in.).



Brandon




Bricks

Sold by full pallet

CUBING

8,88 m² / 95,60ft² per pallet
 1,11 m² / 11,95 ft² per row
 1616 kg / 3563 lbs
 288 units
 8 row of 36 units



Depth × Height × Width



A - 2% (16 units / pallet)
 100 × 110 × 110 mm
 3 15/16 × 4 5/16 × 4 5/16 in



B - 17% (72 units / pallet)
 100 × 110 × 170 mm
 3 15/16 × 4 5/16 × 6 11/16 in



C - 24% (72 units / pallet)
 100 × 110 × 230 mm
 3 15/16 × 4 5/16 × 9 1/16 in



D - 33% (80 units / pallet)
 100 × 110 × 290 mm
 3 15/16 × 4 5/16 × 11 7/16 in



E - 24% (48 units / pallet)
 100 × 110 × 350 mm
 3 15/16 × 4 5/16 × 13 3/4 in

Stones

Sold by full pallet


CUBING

8,29 m² / 89,28 ft² per pallet
 1,04 m² / 11,16 ft² per row
 1616 kg / 3563 lbs
 120 units
 8 row of 15 units

Depth × Height × Width



A - 50% (72 units / pallet)
 100 × 230 × 230 mm
 3 15/16 × 9 1/16 × 9 1/16 in



B - 50% (48 units / pallet)
 100 × 230 × 350 mm
 3 15/16 × 9 1/16 × 13 3/4 in

TECHNICAL SPECIFICATIONS


Iconic



Bricks

CUBING

8,40 m² / 90,38 ft² par palette
 1,20 m² / 12,91 ft² par rang
 18,34 units per m² / 1,70 units per ft²
 1461 kg / 3 220 lb
 154 units
 7 row of 22 units



Sold by full pallet

Depth × Height × Width



A - 95% (147 units / pal)
 90 × 79 × 600 mm
 3 5/16 × 3 1/8 × 23 5/8 in



B - 5% (7 units / pal)
 90 × 79 × 600 mm
 3 5/16 × 3 1/8 × 23 5/8 in

Stones

CUBING


6,09 m² / 65,56 ft² per pallet
 0,874 m² / 9,37 ft² per row
 1125 kg / 2481 lbs
 56 units
 7 row of 8 units

Sold by full pallet

Depth × Height × Width




A - 28% (21 units / pallet)
 90 × 168 × 448 mm
 3 5/16 × 6 5/8 × 17 5/8 in



B - 25% (14 units / pallet)
 90 × 168 × 600 mm
 3 5/16 × 6 5/8 × 23 5/8 in



C - 47% (21 units / pallet)
 90 × 168 × 752 mm
 3 5/16 × 6 5/8 × 29 5/8 in



¹Stone 4 × 24

CUBING
 140 units / 7 row of 20 units
 1474 kg / 3250 lbs
 11 kg / 24,25 lbs per unit
 Onyx Black
 2072 kg / 4568 lbs
 14,7 kg / 32,41 lbs per unit

Sold by unit

Depth × Height × Width



90 × 90 × 590 mm
 3 5/16 × 3 5/16 × 23 1/4 in

Textures (see page 38)
 Granitex
 Polished*
 Grinded

¹ Available while quantities last

²Stone 4 × 24

CUBING
 126 units / 7 row of 18 units
 1328 kg / 2928 lbs
 11 kg / 24,25 lbs per unit
 Onyx Black
 1866 kg / 4114 lbs
 14,7 kg / 32,41 lbs per unit

Sold by unit

Depth × Height × Width



90 × 90 × 590 mm
 3 5/16 × 3 5/16 × 23 1/4 in

Textures (see page 38)
 Granitex
 Polished*
 Grinded

² New packaging

Stone 6 × 24

CUBING
 84 units / 7 row of 12 units
 1440 kg / 3175 lbs
 17 kg / 37,5 lbs per unit
 Onyx Black
 1866 kg / 4114 lbs
 22 kg / 48,50 lbs per unit

Sold by unit

Depth × Height × Width



90 × 140 × 590 mm
 3 5/16 × 5 1/2 × 23 1/4 in

Textures (see page 38)
 Granitex
 Polished*
 Grinded

Stone 8 × 24

CUBING
 70 units / 7 row of 10 units
 1633 kg / 3600 lbs
 22 kg / 48,50 lbs per unit
 Onyx Black
 2048 kg / 4515 lbs
 29 kg / 63,93 lbs per unit

Sold by unit

Depth × Height × Width



90 × 190 × 590 mm
 3 5/16 × 7 1/2 × 23 1/4 in

Textures (see page 38)
 Granitex
 Smooth
 Polished*
 Grinded

Stone 12 × 24

CUBING
 42 units / 7 row of 6 units
 1440 kg / 3172 lbs
 34 kg / 75 lbs per unit
 Onyx Black
 1866 kg / 4114 lbs
 44 kg / 97 lbs per unit

Sold by unit

Depth × Height × Width



90 × 290 × 590 mm
 3 5/16 × 11 7/16 × 23 1/4 in

Textures (see page 38)
 Granitex
 Smooth
 Polished*
 Grinded

* Polished finish will have the dimension reduced by 5 mm / 3/16 in

CAUTION **LaRochele Stone Smooth -** **8 × 24 & 12 × 24**

Top face = Install face

Packaged lying down, finished face upwards.


Units are not reversible.

LaRochele



Sill


CUBING
49,55 lin. m / 162,54 lin. ft per pallet
84 units / 7 row of 12 units
1403 kg / 3094 lbs
17,40 kg / 38,36 lbs per unit
Onyx Black
1849 kg / 4077 lbs
21,80 kg / 48,06 lbs per unit

Depth × Height × Width

145 × 90 × 590 mm
5 11/16 × 3 9/16 × 23 1/4 in


Textures (see page 38)
Split Face
Granitex
Polished*
Grinded

Keystone

CUBING
105 units / 7 row of 15 units
1176 kg / 2592 lbs
10,59 kg / 23,35 lbs per unit
Onyx Black
1428 kg / 3148 lbs
13 1/2 kg / 29,76 lbs per unit


Depth × Height × Width

90 × 290 × 152 × 203 mm
3 9/16 × 11 7/16 × 6 × 8 in

Textures (see page 44)
Granitex
Polished*
Grinded




Bricks

CUBING
7,92 m² / 85,25 ft² per pallet
0,99 m² / 10,66 ft² per row
33,33 units per m² / 3,10 units per ft²
1395 kg / 3076 lbs
264 units
8 row of 33 units




Sold by full pallet

Depth × Height × Width



Regular - 33% (88 units / pallet)
90 × 90 × 290 mm
3 9/16 × 3 9/16 × 11 7/16 in



Corner - 67% (176 units / pallet)
90 × 90 × 290 × 285 mm
3 9/16 × 3 9/16 × 11 7/16 × 11 1/4 in

Textures
Granitex
Polished*
Grinded

* Polished finish will have the dimension reduced by 5 mm / 3/16 in

Sales conditions / Stones, Sills and Keystones


- A minimum order of 3,000 units is required for Elite colors.
- Check availability with our customer service or your representative.
- All orders must be picked up or delivered within 30 days of the confirmed delivery date.
- The order is considered final 24 hours after it is received at Techo-Bloc. No changes will be accepted after 24 hours.
- The order cannot be cancelled. The customer is responsible for the entire order.
- The bevel is 3/8" dimension.
- The bevel have a grinded finish.
- The split face texture is only available for the following format: 90 × 190 × 390 mm (3,54 × 7,48 × 15,35 in.).

Madison GRANDE




Stones

CUBING
7,19m² / 77,40 ft² per pallet
1,03 m² / 11,06 ft² per row
1420 kg / 3130 lbs
56 units
7 row of 8 units




Sold by full pallet


Depth × Height × Width




A - 19% (14 units / pallet)
90 × 230 × 400 mm
3 9/16 × 9 1/16 × 15 3/4 in




B - 11% (7 units / pallet)
90 × 230 × 450 mm
3 9/16 × 9 1/16 × 17 11/16 in




C - 12% (7 units / pallet)
90 × 230 × 500 mm
3 9/16 × 9 1/16 × 19 11/16 in



D - 13% (7 units / pallet)
90 × 230 × 550 mm
3 9/16 × 9 1/16 × 21 5/8 in



E - 14% (7 units / pallet)
90 × 230 × 600 mm
3 9/16 × 9 1/16 × 23 5/8 in




F - 31% (14 units / pallet)
90 × 230 × 650 mm
3 9/16 × 9 1/16 × 25 5/8 in

Stones

Sold by full pallet

CUBING

7,19m² / 77,40 ft² per pallet
 1,03 m² / 11,06 ft² per row
 1380 kg / 3042 lbs
 112 units
 7 row of 16 units



Depth × Height × Width



A - 8% (14 units / pallet)
 90 × 90 × 400 mm
 3 3/16 × 3 3/16 × 15 3/4 in



B - 4% (7 units / pallet)
 90 × 90 × 450 mm
 3 3/16 × 3 3/16 × 17 1/16 in



C - 5% (7 units / pallet)
 90 × 90 × 500 mm
 3 3/16 × 3 3/16 × 19 1/16 in



D - 5% (7 units / pallet)
 90 × 90 × 550 mm
 3 3/16 × 3 3/16 × 21 5/8 in



E - 6% (7 units / pallet)
 90 × 90 × 600 mm
 3 3/16 × 3 3/16 × 23 5/8 in



F - 13% (14 units / pallet)
 90 × 90 × 650 mm
 3 3/16 × 3 3/16 × 25 3/8 in



G - 11% (14 units / pallet)
 90 × 130 × 400 mm
 3 3/16 × 5 1/8 × 15 3/4 in



H - 6% (7 units / pallet)
 90 × 130 × 450 mm
 3 3/16 × 5 1/8 × 17 1/16 in



I - 7% (7 units / pallet)
 90 × 130 × 500 mm
 3 3/16 × 5 1/8 × 19 1/16 in



J - 8% (7 units / pallet)
 90 × 130 × 550 mm
 3 3/16 × 5 1/8 × 21 5/8 in



K - 8% (7 units / pallet)
 90 × 130 × 600 mm
 3 3/16 × 5 1/8 × 23 5/8 in



L - 18% (14 units / pallet)
 90 × 130 × 650 mm
 3 3/16 × 5 1/8 × 25 3/8 in

Warranty

 [GET OUR CARE AND MAINTENANCE GUIDE](#)

A STANDARD OF CARE

The care of high quality concrete products is similar to the care of any product left in the environment 365 days and nights per year. Very mild cleaning using detergents, water and product specific chemicals is necessary and similar to cleaning patio furniture, a vehicle's chrome, plastic, or paint, etc. in order to enhance their presence and charm. Protectant of all types (high, middle, and low sheen, pigmented/tinted, penetrating or film forming) are available for additional protection from acid rain, stains and nature's worst. To get the most from your investments take care of them and they'll take care of you.

For any questions on industry-specific cleaners and protectant, see your local hardscape dealer/distributor, contact your contractor, contact us or search online.

It is contrary to Techo-Bloc's SOP (Standard Operating Procedures) to be involved in the care of a mature pavement or retaining structure. Care as mentioned above is the responsibility of the owner for any and all outdoor products.

CMHA disclaimer: "In areas where segmental retaining walls will be repeatedly exposed to snow (such as from snow plowing operations) consider periodically applying sealants or water repelling chemicals (silane or siloxane compounds) to the wall surface."

COLOR

Due to the inherent nature of printed literature and current digital media, Techo-Bloc cannot guarantee specific color matching to printed representations of its color swatches.

Each color option is composed of a variety of darker and lighter tones. Natural ingredients such as granite are present within the recipe to allow for a range in tones, veining and textures from one stone to another. Therefore, colors samples shown are approximate representations of our standard colors and actual product colors may vary.

Final color selection should be made at your local dealer from stocked product. Techo-Bloc always recommends immediately verifying the product and color upon reception. If there are any discrepancies, contact your local dealer before continuing your project. Installation of the product constitutes your acceptance of the product as is.

EFFLORESCENCE

This warranty does not apply to efflorescence. Efflorescence is a natural occurring process in all concrete products which sometimes appears in the form of a white powdery film on the pavement surface. Efflorescence is more perceivable in darker colors such as Onyx Black and Chocolate Brown as there is a higher level of contrast than with other blended colors. It does not, in any way, compromise the functionality or the structural integrity of the product. Although efflorescence cannot be prevented, it will wash off over time or can be cleaned with efflorescence cleaner. Techo-Bloc accepts no responsibility or liability for this condition.

POLYMERIC HAZE

Polymeric haze from the use of polymeric joint sand may appear on your concrete products if the sand was not removed from the surface of the paver properly. This does not, in any way, affect the integrity of the product or your installation. The hazing will weather away naturally with time and rain. It can be removed with a specialized cleaner; you are advised to contact your contractor or the polymeric sand company used for instructions and recommendations. Techo-Bloc accepts no responsibility or liability for this occurrence.

CONSTRUCTION RESIDUE

A by-product of cutting with a saw is residue-filled water or concrete dust. Residue filled water or re-hydrated dust can cling to the surface and leave a concrete stain. It is recommended to wash and remove the water or concrete dust from the surface of the pavers before it dries. Construction residue can also happen through soil disturbance or environmental elements. These contaminants should be removed immediately but do not affect the integrity of the product or your installation. Techo-Bloc accepts no responsibility or liability for these occurrences.

PROPER COLOR DISTRIBUTION AND LAYING TECHNIQUES

Proper installation enhances the overall color of pavement. Units should be randomly picked from at least two pallets when installing. This creates an attractive and subtle blending of color.

COMPACTOR AND SNOW REMOVAL EQUIPMENT

Pavers with an embossed surface (high and low points) are more susceptible to scuff marks from vibratory plate compactors used in most concrete paver installations. Techo-Bloc recommends the use of a urethane mat between the plate and the paver surface during compacting. Contact your equipment supplier for more information about accessories for this purpose. Also, snow removal equipment should have the proper spacing, bumpers, and rubber blade guards to protect the surface of the pavers. Techo-Bloc is not responsible for damage caused by the misuse of compaction or snow removal equipment, which may leave scuff marks, or burns on pavers.

NOTE:

For industry information about efflorescence, polymeric haze or information pertaining to installation specifications, please visit www.icpi.org or www.ncma.org.



LIMITED WARRANTY

The warranty applies to concrete landscaping and masonry products (herein referred to as “products”) intended for residential use and manufactured by the Techo-Bloc group.

All Techo-Bloc products comply with applicable standards established by the American Society for Testing and Materials (ASTM) and the Canadian Standards Association (CSA).

Techo-Bloc offers a transferable life-time warranty on its products, commencing on the date of delivery. The warranty covers the structural integrity of the products and any abnormal deterioration of its surfaces that may be caused by the use of rock salt (sodium chloride [NaCl]) for de-icing pavers, slabs or steps, with the exception of Wet Cast collection products, unless otherwise stated.

Techo-Bloc’s warranty excludes any third party products.

THE FOLLOWING CONDITIONS OR EVENTS ARE NOT COVERED BY THE WARRANTY:

1. Claims regarding the color, size, or texture of a product already installed. An installed product confirms the acceptance of the product received.
2. Use of rock salt and transferability of warranty on Wet Cast collection products unless otherwise stated.
3. Splitting, chipping or other breakage caused by impact, abrasion or overloading.
4. Damage or loss caused by the movement or settling of the underlying structure or base components upon which the products are set.
5. Damage or loss caused by design or installation not in compliance with local codes, industry standards or the guidelines provided by the Concrete Masonry and Hardscape Association (CMHA) or Techo-Bloc.
6. Damage or loss caused by natural disaster, including but not limited to, earthquakes, floods or other similar events.
7. Acts of negligence or misuse by the owner, installer or any third party.
8. Color matching to printed representations.
9. Efflorescence, polymeric haze or construction-born residue. (See the important information section for terminologies)
10. Damage or loss caused by the operation of compaction or snow removal equipment.
11. Normal wear and tear and normal behavior, such as variation in colors or shades.

In the event of product failure within the scope of this warranty, Techo-Bloc will replace the affected units only, following a site inspection and assessment of the products by Techo-Bloc or its representatives. Techo-Bloc’s responsibility is limited to the cost of the product only and not to the costs related to the installation or replacement of said products.

Note that replacement pieces may show noticeable differences in color, texture, or finish. These variations are a natural result of using materials from different manufacturing batches and are not considered defects and therefore are not covered under the Techo-Bloc warranty.

Techo-Bloc will honor this warranty only with a proof of purchase, such as an invoice or delivery slip.



Landscape Catalog

Discover top design trends and the best landscaping products

From patio stones to outdoor fire pits, browsing our catalog will surely inspire you while designing your outdoor space. Our catalog is centered around the design pillars that make Techo-Bloc products stand out from the rest. We focus on showing how to play with color, scale and texture to elevate your next landscaping renovation.



EMPOWERING COMMERCIAL LANDSCAPE DESIGN

Bring your boldest ideas to life with Techo-Bloc's commercial solutions. From versatile tools and artistic mosaics to insightful resources and inspiring case studies, we provide everything landscape architects need to transform spaces. Explore our catalog and take the first step toward making your next vision a reality.





TECHO—BLOC

Inspiring Artscapes

